

TR90P9


Cooker size N. of cavities with energy label Heat source first cavity Hob type Type of main oven Cleaning system main oven EAN code Energy efficiency class 90x60 cm 1 Electric Gas Thermo-ventilated Catalytic 8017709230791 A



Aesthetics

| Aesthetics | Victoria | No. of controls | 8 |
|----------------------|----------------------|---------------------|------------------------|
| Colour | Cream | Serigraphy colour | Black |
| Design | Victoria | Handle | Smeg Victoria |
| Door | With frame | Handle Colour | Polished chrome |
| Upstand | Yes | Glass type | Black |
| Type of pan stands | Cast Iron | Feet | none |
| Hob colour | Black enamel | Plinth | Anthracite |
| Command panel finish | Enamelled metal | Storage compartment | Drawer |
| Control knobs | Smeg Victoria | Sliding compartment | Yes |
| Controls colour | Stainless steel | Logo | assembled 50's |
| Display | electronic 5 buttons | Logo position | Upstand+ Command panel |
| Colour of buttons | Black | | |

Programme / Functions





Cleaning functions

Catalytic

Vapor Clean

Other functions

Defrost by time

Hob technical features



Total no. of cook zones 5

Front left - Gas - Rapid - 2.90 kW Rear left - Gas - Semi Rapid - 1.80 kW Central - Gas - 2UR (dual) - 5.00 kW Rear right - Gas - Semi Rapid - 1.80 kW Front right - Gas - AUX - 1.00 kW Type of gas burners Standard Automatic electronic Yes ignition

Gas safety valves Burner caps Yes Matt black enamelled

Main Oven Technical Features

| 1151t 📃 🍠 💭 | | | |
|--------------------------|-------------------|----------------------------------|--------------------|
| No. of lights | 2 | Total no. of door glasses | 3 |
| Fan number | 2 | No.of thermo-reflective | 2 |
| Net volume of the cavity | 115 litres | door glasses | |
| Gross volume, 1st cavity | 1291 | Safety Thermostat | Yes |
| Cavity material | Easy clean enamel | Cooling system | Tangential |
| Shelf positions | 5 | Usable cavity space | 371x724x418 mm |
| Type of shelves | Metal racks | dimensions (HxWxD) | |
| Light type | Halogen | Temperature control | Electro-mechanical |
| Light power | 40 W | Lower heating element | 1700 W |
| Cooking time setting | Start and Stop | power | 1200 \\/ |
| Light when oven door is | Yes | Upper heating element - Power | 1200 W |
| open | | Grill elememt | 1700 W |
| Door opening | Flap down | Large grill - Power | 2900 W |
| Removable door | Yes | Circular heating element | |
| Full glass inner door | Yes | - Power | 1330 1 |
| Removable inner door | Yes | | |
| | | Grill type | Electric |
| | | Tilting grill | Yes |
| | | Soft Close system | Yes |

Options Main Oven

| Timer | Yes | Minimum Temperature | 50 °C |
|-------|-----|---------------------|--------|
| | | Maximum temperature | 260 °C |




End of cooking acoustic Yes alarm

Accessories included for Main Oven & Hob

| Cast iron wok support | 1 | Grill mesh | 1 |
|---|---|------------------|---|
| Moka stand in cast iron | 1 | 40mm deep tray | 2 |
| Rotisserie | 1 | Catalityc panels | 3 |
| Top oven chrome shelf with back stop | 2 | | |

Electrical Connection

| Nominal power | 3200 W | Frequency | 50/60 Hz |
|---------------|-----------|--------------------|----------|
| Current | 14 A | Power supply cable | 120 cm |
| Voltage | 220-240 V | length | |
| | | Terminal block | 3 poles |





Not included accessories



GT1P-2

Partially extractable telescopic guides (1 level) for ovens with metal frames. Length: 355.5 mm, extraction: 285 mm. Material: Stainless steel AISI 430 polished.



PPR2

Refractary pizza stone without handles. Squared shaped stone: L42 x H1,8 x D37,5 cm. Suitable also for gas ovens, to be put on the griddle.



PAL2

Paletta pizza larga con doppio manico.



WOKGHU Cast-Iron WOK Support



KITHTR90

Height extension kit (950 mm), suitable for Victoria TR90 cookers







GT1T-2

Totally extractable telescopic guides (1 level) for ovens with metal frames. Length: 355.5 mm, extraction: 418.5 mm. Material: Stainless steel AISI 430 polished.

PRTX

Refractary pizza stone with handles. D=35cm Not suitable for microwave ovens. Suitable for gas ovens, to be put on the griddle.

PALPZ

Pizza shovel with fold away handle width: 315mm length : 325mm

PPR9

Refractary pizza stone without handles. Squared shaped stone: L64xH2,3xP37,5 cm Suitable also for gas ovens, to be put on the griddle.

BGTR9

Cast iron grill plate suitable for 90 cm Victoria, 60 and 90cm Master and Symphony cookers



KIT1TR9N

Splashback, 90x75 cm suitable for TR9 Victoria cookers, black



SMOLD

Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C

GTP

Partially extractable telescopic guides (1 level) Extraction: 300 mm Material: Stainless steel AISI 430 polished



TPKTR9

Teppanyaki grill plate for Victoria TR9 and Symphony cookers

GTT

Totally extractable telescopic guides (1 level) Extraction: 433 mm Material: Stainless steel AISI 430 polished





Symbols glossary

| A | A: Product drying performance, measured from A+++ to D / G depending on the product family | | Heavy duty cast iron pan stands: for maximum stability and strength. |
|-------------------|---|-----|---|
| | Air cooling system: to ensure a safe surface temperatures. | * | Defrost by time: with this function the time of thawing of foods are determined automatically. |
| 3 | Triple glazed doors: Number of glazed doors. | | Enamel interior: The enamel interior of all Smeg ovens have a special antacid lining which helps keep the interior clean by reducing the amount of cooking grease adhering to it. |
| ~) | Circogas: In gas ovens the fan distributes the heat quickly and evenly throughout the oven cavity, avoiding flavour transfer when cooking a number of different dishes at the same time. In electric ovens this combination completes cooking more quickly of foods that are ready on the surface, but that require more cooking inside, without further browning. | (%) | Fan with upper and lower elements: The elements combined with the fan aim to provide more uniform heat, a similar method to conventional cooking, so pre-heat is required. Most suitable for items requiring slow cooking methods. |
| \bigcirc | Upper and lower element only: a traditional cooking method best suited for single items located in the centre of the oven. the top pf the oven will always be hottest. Ideal for roast, fruit cakes, bread etc. | | Lower heating element only: This function is ideal for foods that require extra base temperature without browning, e.g. pastry dishes, pizza. Also suitable for slow cooking of stews and casseroles. |
| 8 | Circulaire: The combination of the fan and circular element around it gives a hot air cooking method. This provides many benefits including no preheat if cook time is more than 20 minutes, no flavour transfer when cooking different foods at the same time, less energy, and shorter cook times. Good for all types of food. | ECO | ECO: The combination of the grill, fan and lower element is particularly suitable for cooking small quantities of food. |
| $\overline{}$ | Grill element: Using of grill gives excellent results when cooking meat of medium and small portions, especially when combined with a rotisserie (where possible). Also ideal for cooking sausages and bacon. | (?? | Fan with grill element: The fan reduces the fierce heat from the grill, providing an excellent method of grilling various foods, chops, steaks, sausages etc. giving even browning and heat distribution, without drying out the food. The top two levels recommended for use, and the lower part of the oven can be used to keep items warm at the same time, an excellent facility when cooking a grilled breakfast. Half grill (centre portion only) is ideal for small quantities of food. |
| \leftrightarrow | Rotisserie: The rotisserie (where installed) works in combination with the grill element to brown foods to perfection. | 旦 | All glass inner door: All glass inner door, a single flat surface which is simple to keep clean. |
| | The inner door glass: can be removed with a few quick movements for cleaning. | Ŏ. | Side lights: Two opposing side lights increase visibility inside the oven. |
| <u>.5</u> | The oven cavity has 5 different cooking levels. | D | Soft close: all models are equipped with advanced function of smooth closing of the door, which allows the device to close smoothly and quietly. |





Tilting grill: the tilting grill can be easily unhooked to move the heating element and clean the roof of the appliance in one simple step.



Vapor Clean: a simple cleaning function using steam to loosen deposits in the oven cavity.

| | UR | |
|--|----|--|
|--|----|--|

115 It

Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.

| The capacity indica |
|---------------------|
| space in the oven c |

ates the amount of usable space in the oven cavity in litres.