



FAB10RPK5

Refrigerator, 50's Style , One Door, Free standing, Hinge position: Right, Pink, Static, E



TYPE

Product Family: Refrigerator • Installation: Free standing • Category: One Door • Cooling type: Static • Defrost: Automatic for refrigerator, manual for freezer • Hinge position: Right • Hinge type: Standard • EAN code: 8017709298883

AESTHETICS

Colour: Pink • Finishing: Glossy • Aesthetics: 50's Style • Design: Rounded • Material: Heat-moulded • Handle type: Fixed • Handle: External • Handle colour: Chrome • Side material: Steel • Side colour: Pink • Door shelves profile color: Silver • Color of glass shelf profile: Silver

REFRIGERATOR COMPARTMENT FEATURES

No. of adjustable shelves: 1 • Number of fruit and vegetables drawers: 1 • Type of crisper/vegetable drawers cover: Standard • Type of adjustable shelves: Glass • Crisper Cover: Yes • Type of crisper/vegetable drawers cover: Glass • Internal light in fridge: Yes • Type of internal light (fridge): LED

REFRIGERATOR INNER DOOR

No. of door shelves with transparent cover: 1 • Number of adjustable door shelves: 1 • No. of bottle shelves: 1

FREEZER COMPARTMENT FEATURES

Internal freezer compartment: Yes

OTHER TECHNICAL FEATURES

Type of temperature control: Electro-mechanical • No. of compressors: 1 • Type of compressor: Standard

PERFORMANCE / ENERGY LABEL NEW 2019

Annual energy consumption: 142 kWh/a • Energy efficiency class: E • Total net volume: 122 l • Sum of the volumes of the frozen compartment(s): 17 l • Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s): 105 l • Airborne acoustical noise emission class: C • Temperature Rise Time: 9 h • 4 star - Freezing capacity: 2.6 Kg/24h • Climate class: SN, N, ST, T • EER: 98 %

ELECTRICAL CONNECTION

Voltage (V): 220-240 V • Frequency (Hz): 50 Hz

OPTIONAL ACCESSORIES

LOGISTIC INFORMATION

Dimensions: 970x545x659 mm • Width: 545 mm • Product width with maximum doors opening: 842 mm • Height: 970 mm • Depth without handle: 659 mm • Product depth with handle: 701 mm • Product depth with doors open at 90°: 1085 mm • Net weight (kg): 45.100 kg

